

Certificate of Analysis

Product Name	Recombinant Human PDGF-AA	Batch No.	20251021
Cat. No.	Y07001H	Storage Conditions	≤-20℃
Manufacturing Date	2025.10.21	Expiration Date	2028.10.20
Testing Basis	Specification for Recombinant Human PDGF-AA		
Testing Parameters	Quality Specification	Testing Result	Result Judgment
Appearance	White powder, Clear colorless liquid after resolution	White powder, Clear colorless liquid after resolution	Compliance
pH	7.0 - 8.0	7.2	Compliance
Protein Concentration	9.0 - 11.0 μg	11.0 μg	Compliance
Hydration	≤2.5%	1.5%	Compliance
Purity (SDS-PAGE)	≥95.0%	96.6%	Compliance
Relative Bioactivity	The relative biological activity should be 70%-130% comparison to standard reference	101%	Compliance



Jiangsu East-Mab Biomedical Technology Co.,Ltd.

Product Name	Recombinant Human PDGF-AA	Batch No.	20251021
Testing Parameters	Quality Specification	Testing Result	Result Judgment
Bacterial Endotoxin	≤10.0 EU/mg	≤10.0 EU/mg	Compliance
Sterility Test	Compliance	Compliance	Compliance
Conclusion	Compliance		



Reported by / Date:

Xiao qing Liu 2025.11.07

Checked by / Date:

Jing Meng 2025.11.07

Approved by QA / Date:

Xanning zhou 2025.11.07

